

检测报告
TEST REPORT

Page 1 of 5



报告编号(Report No): SQT-JC2406617-18

委托单位 : 诺美瑞丽(深圳)生物科技有限公司
Customer Nuomei Ruili (Shenzhen) Biotechnology Co., Ltd
: 深圳市南山区粤海街道高新区社区沙河西路 1809 号深圳湾科技生态园 2 栋
A1106
单位地址 : A1106, Building 2, Shenzhen Bay Science and Technology Ecological Park, 1809
Address Shahe West Road, High tech Zone Community, Yuehai Street, Nanshan District,
Shenzhen City
样品名称 : 洗脸猫泡泡洁颜巾
Sample name : FACE- WASH CAT Bubble Clean Scarf
型号规格 : 18cm×20cm×10 片/袋
Model/Style : 18cm×20cm×10 pieces/bag
检测地点 : 深圳市龙岗区宝龙街道宝龙社区宝荷大道 76 号智慧家园 B 座 903 检测中心
Test Address : Room 903, Block B, Smart Home Phase 1, of the No. 76, Baohe Avenue, Baolong
Community, Baolong Street, Longgang District, Shenzhen

批准 :
Approved by 邵玲倩 Shao Lingqing

核验 :
Audited by 刘雁宾 Yanpian Liu

编制 :
Edited by 唐利强 Liqiong Tang



签发日期(Date): 2024.08.01

深圳市华科质量技术有限公司
Shenzhen Huake Quality & Technology Co., Ltd

检测报告
TEST REPORT

报告编号(Report No): SQT-JC2406617-18

日期(Date): 2024.08.01

Page 2 of 5

1、样品信息 (以下检测样品及样品信息由委托方提供并确认):

Sample information(The following test samples and sample information are provided and confirmed by the client):

样品名称 : 洗脸猫泡泡洁面巾
(Sample name) FACE- WASH CAT Bubble Clean Scarf
样品描述 : 白色无纺布
(Sample description) White non-woven fabric
型号规格 : 18cm×20cm×10 片/袋
(Model/Style) 18cm×20cm×10 pieces/bag
样品数量 : 1 袋
(Number of samples) 1bag
批号/生产日期(Lot No.) : 20230625
保质期/限期使用日期 : 20260624
(Shelf life.)
生产单位 : 广州绿芳洲实业有限公司
(Production unit) Guangzhou Lvfangzhou Industrial Co., Ltd
生产单位地址 : 广州市白云区人和镇鹤亭鹤前西路 28 号
(Production unit address) No. 28 Heqian West Road, Heting, Renhe Town, Baiyun District, Guangzhou City

2、检测信息 (Detection information):

委托单号 : SQT-JC2406617
(Order No.)
委托日期 : 2024.07.24
(Commission date)
接样日期 : 2024.07.24
(Received date)
检验日期 : 2024.07.24~2024.08.01
(Test date)
检验环境条件 : (20-30) °C, (40-70) %RH
(Environmental conditions)
判定依据 : GB 15979-2002 《一次性使用卫生用品卫生标准》
(Judgment basis) GB15979-2002 Hygienic standard for disposable sanitary products

检测报告
TEST REPORT

报告编号(Report No): SQTT-JC2406617-18

日期(Date): 2024.08.01

Page 3 of 5

3、检测结论(Test conclusion)

详见附页(See the attached page for details)。

4、测试结果(Test result(s)):

序号 No.	测试项目 Test Item(s)	标准要求 (Standard requirement) GB 15979-2002	检验结果 Test Result	方法 检出限 Method detection limit	单项 结论 Conclu sion	测试方法 Method
1	细菌菌落总数 Total bacterial counts (CFU/g)	≤200	<4	/	符合 Pass	GB 15979-2002
2	真菌菌落总数 Total fungal colonies (CFU/g)	≤100	16	/	符合 Pass	GB 15979-2002
3	大肠菌群 Coliforms/g	不得检出 Not detected	未检出 Not detected	/	符合 Pass	GB 15979-2002
4	金黄色葡萄球菌 Staphylococcus Aureus/g	不得检出 Not detected	未检出 Not detected	/	符合 Pass	GB 15979-2002
5	绿脓杆菌 Pseudomonas aeruginosa/g	不得检出 Not detected	未检出 Not detected	/	符合 Pass	GB 15979-2002
6	溶血性链球菌 Streptococcus hemolytic/g	不得检出 Not detected	未检出 Not detected	/	符合 Pass	GB 15979-2002

检测报告
TEST REPORT

报告编号(Report No): SQT-JC2406617-18

日期(Date): 2024.08.01

Page 4 of 5

5、样品图片 (Sample photo(s))



检测报告
TEST REPORT

报告编号(Report No): SQT-JC2406617-18

日期(Date): 2024.08.01

Page 5 of 5

- 声明: 1. 本报告未加盖公司专用章无效, 擅自更改、伪造本报告内容是违法的, 不得修改、添加删除。
This report is invalid without the company's special seal. It is illegal to alter or falsify the contents of this report without authorization. This report may not be modified, added or deleted.
2. 未经本机构批准, 不得部分复制报告(全文复制除外)。Without the approval of the company, the report cannot be reproduced except in full.
3. 本报告仅对委托样品负责。This report is only responsible for the entrusted samples.
4. 试验结果的一致性确定是基于测量结果而不考虑测量不确定度的。The conformity determination of test results is based on the measured results without considering the uncertainty of measurement.
5. 无 CMA 或 CNAS 标志的报告/证书, 仅作为科研、教学或内部质量控制之用。
The non-CMA/non-CNAS report/certificate issued by SQT is only permitted to be used for research, teaching or internal quality control.
6. 样品信息由客户提供并确认, 公司不负责确认信息的准确性、适用性和完整性。The information of the sample is provided and confirmed by the customer. The company shall not be responsible for confirming the accuracy, suitability, and completeness of the information.
7. 如果客户对试验报告有异议, 应在收到试验报告之日起 1 个月内提出投诉。If the client has any objection to the test report, it shall lodge a complaint within 1 months from the date of receiving the test report.

*** 报告结束 ***

End of report