



211520341971



集团微信订阅号



集团微信服务号

检测报告

(Test Report)

No. NRFULMVD2134055QD

样品名称
(Sample Description)

洗脸猫泡泡洁颜巾 FACE-WASH CAT Bubble

Cleansing Face Cloths

委托单位
(Applicant)

诺美瑞丽（深圳）生物科技有限公司

Nuomeiruli(Shenzhen)Biotechnology Co.,LTD



查询密码:rcky2msvke

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal for inspection and test, cross-page seal and signature of the approver.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。
The words "PONY" and "谱尼" used in this report page are the registered trademarks of the company, which are protected by the Trademark Law of the People's Republic of China. Any unauthorized use, counterfeiting, forging or altering of the trademarks of "PONY" and "谱尼" without the authorization of the company is an illegal infringement, and the company will investigate their legal liabilities according to law.
3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请,同时附上报告原件并预付复测费。
If the applicant has any objection to the report data, please submit a written application for retesting to PONY within 15 days after the completion of the report (for the report of primary agricultural products, submit a written application for retesting to the unit within 5 days after the receipt of the report), with the original report attached and the retesting fee prepaid.
4. 委托单位办理完毕以上手续后,本单位会尽快安排复测。如果复测结果与异议内容相符,本单位将退还委托单位的复测费。
After the applicant completes the above procedures, PONY shall arrange the retesting as soon as possible. If the retest result is consistent with the objection, PONY will refund the retest fees.
5. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。
If the experiment cannot be repeated or cannot be retested, no retest shall be conducted, and the applicant shall waive the right of objection.
6. 委托单位对送检样品的代表性和资料的真实性负责,否则本单位不承担任何相关责任。
The applicant is responsible for the representativeness of the commissioned samples and the authenticity of the documents, otherwise PONY does not assume any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责,检测结果及其相关判定结论仅反映对所测样品的评价或只代表检测时污染物的排放状况。对于报告及所载内容不能进行商业广告宣传使用,使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济 and 法律责任。
This report is only responsible for the test results of the tested samples, The test results and relevant conclusions reflect the evaluation of the tested samples or only represent the emission status of pollutants during the test. The report and the contents contained in it cannot be used for commercial advertising, and PONY does not assume any economic and legal liabilities for direct or indirect losses and all legal consequences arising from the use.
8. 本单位有权在完成报告后按规定方式处理所测样品,除客户特别声明并支付样品管理费,所有超过标准规定时效期的样品均不再做留样。
PONY has the right to dispose the tested sample after approval of the test report. Unless the applicant specifically declares and pays the sample management fee, all samples beyond the validity period specified in the standard will not be retained.
9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为追究其相应的法律责任。
Any unauthorized transfer, appropriation, falsification, alteration, copying (except full text copying) or alteration in any other form of this report without the approval of PONY shall be invalid. PONY shall strictly investigate the corresponding legal liability for the aforesaid behavior.

▲防伪说明(Anti-counterfeiting Instructions):

1. 报告编号是唯一的;
The report number is unique.
2. 扫描报告首页下方二维码,即可查询报告真伪。
Scan the QR code below the first page to check the authenticity of the report.



全国服务热线
400-819-5688

WWW.PONYTEST.COM



集团微信订阅号



集团微信视频号

北京实验室: (010) 83055000
北京医学实验室: (010) 62450233-8010
北京谱尼科技公司: (010) 80415661
青岛实验室: (0532) 88706866
青岛医学实验室: (0532) 88706866
天津实验室: (022) 23607888
天津医学实验室: (022) 23607888
长春实验室: (0431) 80530198
吉林医学实验室: (0431) 80529700
大连实验室: (0411) 87336618
大连医学实验室: (0411) 87336618

哈尔滨实验室: (0451) 58627755
黑龙江医学实验室: (0451) 58603455
郑州实验室: (0371) 69350670
郑州谱尼医学实验室: (0371) 63279066
新疆实验室: (0991) 6684186
石家庄实验室: (0311) 85376660
西安实验室: (029) 89608785
西安创尼实验室: (029) 81123093
西安查德威克实验室: (029) 62886819
西安医学实验室: (029) 89608785
呼和浩特实验室: (0471) 3450025

内蒙古医学实验室: (0471) 3591511
太原实验室: (0351) 7555722
成都实验室: (028) 87702708
贵州实验室: (0851) 85221000
上海实验室: (021) 64851999
上海医学实验室: (021) 64851999
苏州实验室: (0512) 62997900
苏州汽车安全带及儿童安全座椅
碰撞实验室: (0512) 62997900
苏州医学实验室: (0512) 62997900
武汉车附所: (027) 82318175

武汉实验室: (027) 83997127
武汉医学实验室: (027) 85446975
杭州实验室: (0571) 87219096
杭州医学实验室: (0571) 87219096
宁波实验室: (0574) 87977185
合肥实验室: (0551) 63843474
深圳实验室: (0755) 26050909
深圳医学实验室: (0755) 26050909
广州实验室: (020) 89224310
南宁实验室: (0771) 5518818
厦门实验室: (0592) 5568048

检测报告

(Test Report)

No. NRFULMVD2134055QD

第 1 页, 共 2 页 (page 1 of 2)

样品名称 (Sample Description)	洗脸猫泡泡洁面巾 FACE-WASH CAT Bubble Cleansing Face Cloths	样品规格 (Sample Specification)	10 片/包 10 pieces/bag
委托单位 (Applicant)	诺美瑞丽(深圳)生物科技 有限公司 Nuomeiruli(Shenzhen)Biotech hnology Co.,LTD	商标 (Trade Mark)	—
到样日期 (Received Date)	2023-07-26	生产日期或批号 (Manufacturing Date or Lot No.)	20230602
检测日期 (Test Date)	2023-07-26~2023-08-03	样品等级 (Sample Grade)	—
样品状态 (Sample Status)	固态 solid state	检测类别 (Test Type)	委托检测 Commissioning Test
检测项目 (Test Items)	见下页 See the next page	检测环境 (Test Environment)	符合要求 To meet the requirements
检测方法 (Test Methods)	见下页 See the next page		
所用主要仪器 (Main Instruments)	电热恒温培养箱等 Electric thermostat incubator etc.		
备注 (Note)	1. 保质期 date of use: 2026/06/01 2. 委托单位地址 Company Address Shown on Report: 深圳市南山区粤海街道高新区社区沙河西路 1809 号深圳湾科技生态园 2 栋 A1106 (A1106,Building 2,Shenzhen Bay Science and Technology Ecological Park,No.1809 Shahe West Road,Gaoxin District Community,Yuehai Street,Nanshan District,Shenzhen) 3. 生产单位 Production unit: 广州绿芳洲实业有限公司 (Guangzhou Lvfangzhou Industrial Co.,Ltd) 生产单位地址 Address of production unit: 广州市白云区人和镇鹤亭鹤前西路 28 号 (No.28,Heqian West Road,Heting Town,Baiyun District,Guangzhou) 4. 以上样品信息由委托单位提供 The above sample information shall be provided by the entrusting unit 5. 限值标准 Limit Standard: GB 15979-2002		
编制人 (Edited by)	沈晓宇	审核人 (Checked by)	岳峰伟
批准人 (Approved by)	付仁敬	签发日期 (Issued Date)	2023-09-19

检测报告

(Test Report)

No. NRFULMVD2134055QD

第 2 页, 共 2 页 (page 2 of 2)

检测结果(Test Results):

序号 (S/N)	检测项目 (Test Items)	单位 (Unit)	限值 (Limit)	检测结果 (Test Result)	单项结论 (Evaluation)	检测方法 (Test Methods)
1	细菌菌落总数 Total bacterial counts	CFU/g	≤ 200	<4	符合 Pass	GB 15979-2002
2	真菌菌落总数 Total fungal colonies	CFU/g	≤ 100	<4	符合 Pass	GB 15979-2002
3	大肠菌群 Coliforms	—	不得检出 Not detected	未检出 Not detected	符合 Pass	GB 15979-2002
4	金黄色葡萄球菌 Staphylococcus aureus	—	不得检出 Not detected	未检出 Not detected	符合 Pass	GB 15979-2002
5	绿脓杆菌 Pseudomonas aeruginosa	—	不得检出 Not detected	未检出 Not detected	符合 Pass	GB 15979-2002
6	溶血性链球菌 Streptococcus hemolytic	—	不得检出 Not detected	未检出 Not detected	符合 Pass	GB 15979-2002

照片:



仅对报告照片中的样品负责
(Pony authenticate the photo on original report only)

以下空白
(End of Report)

